

PLANT SCHEDULE



3" CALIPER DECIDOUS TREE 8 Acer glabrum / Rocky Mountain Maple Alnus incana / Gray Alder



2" CALIPER DECIDUOUS Acer ginnala / Amur Maple Betula occidentalis / Water Birch

Populus tremuloides / Quaking Aspen Quercus gambelii / Gambel Oak



10`-12` CONIFEROUS TREE 8 ea engelmannii / Engelmann Spruce Picea pungens / Colorado Spruce




12`+ CONIFEROUS TREE Pinus nigra / Austrian Pine

Pinus edulis / Pinyon Pine



#5 GAL. SHRUBS_ 5` DIA 45 Amelanchier alnifolia/Saskatoon Seviceberr Cornus stolonifera/Red Osier Dogwood Juniperus spp/Juniper Mahonia/Oregon Grape Nepeta spp/Catmint Physocarpus malvaceus/Ninebark Pinus mugo spp/Mugo Pine Potentilla fruticosa/Potentilla Ribes aureum/Golden Currant



Syringa vulgaris/Lilac

GRASSES Calamagrostis/Karl Foerester Feather Grass Festuca ovina glauca/Elijah Blue Fescue Panicum virgatum/Shenandoah Switch Grass



Nepeta spp/Catmint Physocarpus malvaceus/Ninebark Pinus mugo spp/Mugo Pine Potentilla fruticosa/Potentilla Ribes aureum/Golden Currant Syringa vulgaris/Lilac



6"-8" RIVER COBBLE 332 sf



PLANTING BEDS (SHREDDED



1,500 sf

SITE NOTES:

ALL OUTDOOR LIGHTING SHALL BE DARK SKY COMPLIANT, AND ARC APPROVED. AREAS DISTURBED BY SITE DEVELOPMENT WILL BE RESTORED TO REFLECT THE CHARACTERISTICS OF THE NATURAL ENVIRONMENT OR/AND

ENHANCED WITH PLANTS SELECTED FROM THE APPROVED PLANT LIST. 4. PERMANENT DRIP IRRIGATION WILL BE PROVIDED FOR TREES. AS NEEDED

2,000 sf

IRRIGATION WILL BE PROVIDED FOR OTHER LANDSCAPING IN PRIVATE AND TRANSITIONAL AREAS. EXCLUDING TREES, PERMANENT IRRIGATION OF THE NATIVE AREAS IS NOT PERMITTED.

6. OWNERS WILL VEGETATE, IRRIGATE, AND MAINTAIN THE AREA FROM THE EDGE OF ASPHALT TO THE PRIVATE AREA WITH PLANTS AND TREES SELECTED FROM THE APPROVED PLANT LIST.

8. OWNERS ARE RESPONSIBLE TO PROVIDE ACCESS TO AND TO REPAIR DAMAGE THAT MAY OCCUR WITHIN THE PUES AND RIGHTS-OF-WAY

9. BY ANY UTILITY COMPANY OR THE ASSOCIATION FOR ANY SERVICES, REPAIRS,

OR MAINTENANCE INCLUDING SNOW REMOVAL. 10. ALL WORK IS TO BE PERFORMED BY AN EXPERIENCED LANDSCAPE CONTRACTOR WITH NO LESS THAN FIVE(5) YEARS OF EXPERIENCE OF PROJECTS SIMILAR IN SCOPE AND SIZE.

11. THE LANDSCAPE CONTRACTOR IS TO VERIFY THE LOCATION OF ALL UNDERGROUND UTILITIES PRIOR TO INSTALLATION, ALL UTILITIES MUST BE CLEARLY MARKED. BEFORE EXCAVATION ALL UTILITIES ARE TO BE POT-HOLED BY HAND OR EQUIPMENT IN A MANNER THAT DOES NOT CAUSE DAMAGE.

UTILITY SETBACKS: WATER & SEWER LINES - 10 FEET


GAS LINES - 4 FEET

FIRE HYDRANTS- 5 FEET (LIMIT PLANT HEIGHT TO 8")

12. CONTRACTOR TO VERIFY ALL PLANT LOCATIONS AND QUANTITY BEFORE INSTALLATION. IF DISCREPANCIES BETWEEN PLAN AND PLANTING SCHEDULE EXIST, PLAN TAKES PRECEDENCE OVER PLANTING SCHEDULE.

13. ANY FIELD ADJUSTMENTS TO PLANT LOCATIONS SHALL BE MADE UNDER THE DIRECTION OF THE LANDSCAPE ARCHITECT OR OWNER'S REPRESENTATIVE. ANY PLANT LOCATION ADJUSTMENTS OR SUBSTITUTIONS SHALL BE APPROVED BY THE CITY PLANNING OFFICE PRIOR TO ANY CHANGE FROM THE APPROVED LANDSCAPE PLAN.

14. THE WARRANTY PERIOD UNLESS STATED OTHERWISE WILL BE ONE YEAR AFTER SUBSTANTIAL COMPLETION. ALL LANDSCAPE MATERIAL DAMAGED OR DEAD DUE TO INSTALLATION METHODS WILL BE REPLACED AT OWNER'S DISCRETION.



120 DEGREES

4"X2" TREATED WOOD POST W/ SAFETY CAP

(3) PER DECIDUOUS TREE

(3) PER EVERGREEN TREE

3" CEDAR OR ROCK MULCH,

IN ROCK MULCH BEDS ONLY,

UNDISTURBED SOIL

6" SOIL MOUND

NOT REQUIRED IN SOD AREAS.

BURLAP AND TYING MATERIALS

TO BE REMOVED FROM \(\frac{1}{3} \) OF THE ROOT BALL

4" SAUCER AROUND PLANTING PIT

2" X 6' TREATED LODGEPOLE PINE STAKES, PLUMB TO GROUND

PLACE WEED BARRIER FABRIC UNDER ALL ROCK MULCH AREAS.

WIRE BASKET TO BE REMOVED BEFORE BACKFILL IS PLACED,

SOIL BACKFILL, $\frac{1}{3}$ VOLUME TO BE AMENDED WITH COMPOST

PLANT TREE PLUMB TO GROUND
1.5" NYLON TREE STRAPS WITH GUY WIRE

DECIDUOUS TREE, TYP.

NTS


36" MIN.

CONIFEROUS TREE TYP.


INFILL RIVER ROCK 3'X3'X3' MAX. BOULDER 60% OF MATERIAL **REFER TO PLANS FOR LOCATIONS** LARGE RIVER COBBLE **40% OF MATERIAL WOVEN FABRIC COMPACTED EARTH**

DEWITT PRO 5 FABRIC TO HAVE 6" MIN. OVERLAY BETWEEN LAYERS. SUBGRADE TO BE HAND COMPACTED. MIXTURE OF RIVER ROCK & COBBLE TO BE MIXED. 4. ROCK IS TO START MINIMUM 6" ABOVE START OF DOWN SLOPE.


DRY RIVER BED, TYP.
































STEWART RESIDENCE

SCHEDULE, NOTES &



380 E Main St, Suite 204 Midway, Ut 84049 ph. (801) 723-2000

DESIGN BY:BMN | DATE:19 APR 2024 DRAWN BY:BMN | REV: 00



DATE: _____19 APR 2024

VICTORY RANCH, LOT 294